EZ·COVER




The Best Single User Manual Safety Cover




EZ Cover is a product of Aquamatic Cover Systems

A New Concept in Easy-to-Use Manual Safety Covers

Save Lives • Save Energy • Keep Pools Clean








The Best Single User Manual Safety Cover

Now you can have all the safety and cost savings of an automatic pool cover at a cost effective price. **EZ Cover** looks and moves like an automatic cover but without the hydraulic mechanism, at about half the price. The effortless operation takes on average about 70 seconds to open and/or close the cover. It's so easy you'll use it daily to keep your pool safely covered anytime it's not in use. **EZ Cover** also comes complete with a seven year fabric warranty and lifetime mechanism warranty.
















Features

- Durable maintenance free operation
- Opens and/or closes in 70 seconds on average
- Looks like an automatic cover
- Moves like an automatic cover
- Exceeds ASTM standards
- No electrical hazard near the pool
- Excellent seven year fabric warranty
- Lifetime mechanism warranty
- Ideal for the do-it-yourself homeowner
- Available in attractive below deck installations



Terra cotta composite lid


Specifications and Installation Possibilities



Encapsulated "In-wall" Receptors for Concrete Gunite and Fiberglass Pools


In-wall tracking is ideal for any indoor or outdoor installation. The track receptor is installed on top of the bond beam during the pool construction prior to the coping installation. Coping or other masonry material are placed directly on top of the track receptor.

| Inwall Track is made up of three components:1- Plastic Locking Strip 2- Inwall Track Extrusion 3- Concrete Inwall Track Receptor. | | Coping / Tile |
|--|--------------------------------|---------------|
| Plastic Locking Strip | Concrete Inwall Track Receptor | |
| The plastic locking strip enable the inwall extrusion to be removed for maintenance procedures. | | |




In-wall #1

- Concrete / Gunite / Fiberglass Pools
- Ideal for raised beam details
- For use with non-standard coping, brick/tile pavers and stone



In-wall #4



In-wall #5 w/Fiberoptic Receiver


- Snap in fascia to finish off at end of pool
- 6063T-5 anodized aluminum
- Can be color coated to match surround


Encapsulated "In-wall" Receptors for Vinyl Liner Pools

This extrusion can be used on any liner type pool. Steel, polymer or wood wall. The track receptor is installed at the time of the pool construction on the top of the pool wall. Copings or other masonry material are placed directly on top of the track receptor.

• Fits standard perimeter fiberoptic lighting

• For use with non-standard coping, brick/tile pavers







In-wall #2 without Liner Bead

• Vinyl Liner Pools

and stone



In-wall #3 with Liner Bead




In-wall #6 w/Fiberoptic Receiver and Liner Bead

- Snap in fascia to finish off at end of pool
- 6063T-5 anodized aluminum
- Can be color coated to match surround


IMPORTANT: When using In-wall Receptors, there will be an increase in finished elevation.


Pool Cover Benches, Lids and Fabrics


Designed by Aquamatic



White









1. Navy 2. Royal Blue 3. Light Blue 4. Turquoise

6. Green7. Tan

5. Teal

- 8. Brown
- 9. Black
- 10. Charcoal
- 11. Gray

Color matched webbing standard on these 6 colors (subject to availability)

Advantages and Benefits of Aquamatic's EZ•Cover

Convenience

The EZCOVER is the only manual safety cover that can be opened and closed by one person in one comfortable standing position. No rope to pull, drills to engage or cranks to manhandle. It covers and / or uncovers most pools in 70 seconds on average.

Durability

The EZCOVER mechanism is made of quality components including extensive use of stainless steel, so durable is the EZCOVER, that it is backed by a limited lifetime warranty.

Convertibility

The EZCOVER can easily converted to the HydraMatic automatic. The EZCOVER will reduce electricity, water savings and chemical consumption. A computerized automatic cover pump is included to remove standing rain water.

Safety

The EZCOVER exceeds ASTM F1346-91 Standards for Pool Safety.

Installation

The EZCOVER can be installed on most pool shapes (consult your dealer or call the factory to if see if your pool will accept a cover) it is designed and engineered for the Do it yourself installer.

Warranty

The EZCOVER has the longest most complete warranty in the industry. A seven year limited warranty on the cover, and a limited lifetime warranty on the mechanism.

The Best Single User Manual Safety Cover





Aquamatic Cover Systems

200 Mayock Road • Gilroy, CA, USA 95020 Ph: 800.262.4044 / 408.846.9274 Fax: 800.600.7087 / 408.846.1060 www.aquamatic.com

Automatic & Manual Covers Since 1980

Distribution and Installation Available Worldwide

These products are covered by one or more of the following patents:

6,3980,680; 6,026,522; 5,950,253;5,930,848; 5,927,042;5,845,343; 5,799,342;5,546,751; 5,349,707;5,327,590; 5,184,357;5,067,184; 4,939,798